

.....	
.....	1
.....	1
.....	1
.....	
.....	1
.....	2
.....	3
.....	
.....	4
.....	4
.....	5
.....	5
.....	
.....	6
.....	7
.....	
.....	
.....	

□

!□

11:30
11:30

1

80%

2

3

3

--	--

500

2

kg

4

2

3 7 11

2

8

YS/T 582-2013

Li₂CO₃

≥99.5% ≤0.00003% ≤0.25% Na≤0.025%
 Mg≤0.008% Ca≤0.008% K≤0.005% Fe≤0.001% Zn≤0.0003%
 Cu≤0.0003% Pb≤0.0003% Si≤0.003% Al≤0.001% Mn≤0.0003%
 Ni≤0.001% SO₄²⁻≤0.08% Cl≤0.005% ≤0.50% B≤0.005%
 F≤0.015% D₁₀≥1μm 3μm≤D₅₀≤8μm 9μm≤D₉₀≤15μm

YS/T 582-2013

Li₂CO₃

≥99.2% ≤0.3% Na≤0.08% Mg≤0.015% Ca≤0.025% K≤0.02%
 Fe≤0.002% SO₄²⁻≤0.20% Cl≤0.01% F≤0.03% ≤0.005%

25000 /

6

10

7

6

	3000	3000	1	0.2

7

10		5000	
10	20	5000	1
20	30		2

8

10

7

8			
	3000	3000	0.5

“ “ ” ” “ ” “ ”

/

020 22836116
020 22836104
020 22836105

020 22836117
020 22836114

1

6

510627

	0225		0225
0338		8338	
0196			
<hr/>			
<hr/>			
<hr/>			